

Contents

List of Contributors *xiii*

Preface *xvii*

Section A Debonding 1

1 Cutting with Rotating Instruments and Cutting Efficiency of Burs 3

María Arregui, Lluís Giner-Tarrida, Teresa Flores, Angélica Iglesias, and Andreu Puigdollers

- 1.1 Introduction 3
- 1.2 Enamel Surface and Damage Associated with Debonding Techniques: Burs and Polishing 4
 - 1.2.1 Design and Type of Burs 7
 - 1.2.1.1 Diamond Burs 7
 - 1.2.1.2 Tungsten Carbide Burs 8
 - 1.2.2 Cutting Efficiency 10
 - 1.2.2.1 Diamond and Carbide Burs 10
 - 1.2.2.2 Rotating Instruments: Turbines and Electric Motor Handpieces 12
 - 1.2.2.3 Other Factors Related to Cutting Efficiency 14
 - 1.2.3 Effect of the Debonding Technique on the Enamel 16

- 1.3 Preservation and Remineralization 19
- 1.4 Clinical Considerations 20
- References 21

- 2 Debonding Protocols 28**
Eser Tüfekçi and William Brantley
- 2.1 Introduction 28
- 2.2 Bond Failure Locations during Debonding 29
- 2.3 Protocols for Bracket Removal 30
- 2.4 Ultrasonic Debonding 33
- 2.5 Electrothermal Debonding 33
- 2.6 Use of Lasers for Debonding 34
- 2.7 Guidelines from Manufacturers 36
- 2.A Appendix: Units for Debonding Stress and Consideration
of Debonding Force 37
- References 38

- 3 Bonding and Debonding Considerations in Orthodontic Patients
Presenting Enamel Structural Defects 43**
Despina Koletsis, T. Gerald Bradley, and Katerina Kavvadia
- 3.1 Introduction 43
- 3.2 General Considerations and Challenges of Bonding
and Debonding Strategies 44
- 3.3 Enamel Structural Defects 47
- 3.3.1 Bonding/Debonding Considerations for AI Subtypes 50
- 3.3.2 Enamel Hypoplasia and Molar Incisor
Hypomineralisation 52
- 3.3.3 Fluorosis 56
- 3.4 Concluding Remarks 58
- References 59

- 4 Enamel Colour, Roughness and Gloss Changes after
Debonding 63**
*Andreas Karamouzos, Effimia Koumpia, and
Anastasios A. Zafeiriadis*
- 4.1 Introduction 63
- 4.2 Tooth Colour Changes Associated with Orthodontic Treatment 66

- 4.2.1 Colour Definitions – Vision and Specification 66
- 4.2.2 Tooth Optical Properties 68
- 4.2.3 Tooth Colour Measurement and Quantification Thresholds 69
- 4.2.4 Tooth Colour Changes Related to Orthodontic Treatment 70
- 4.2.5 Aetiology of Colour Changes 71
- 4.2.6 *In Vitro* vs. *In Vivo* Studies 72
- 4.2.7 ΔE and CIELAB Colour Parameter Changes 79
- 4.2.8 Long-Term Enamel Colour Changes 80
- 4.2.9 Types of Teeth 80
- 4.2.10 Gender and Age 81
- 4.2.11 Etching Pattern 81
- 4.2.12 Adhesives 82
- 4.2.13 Resin Removal Techniques 83
- 4.2.14 Quality Assessment of Studies 84
- 4.2.15 Conclusions 86
- 4.3 Tooth Bleaching Considerations After Debonding 87
- 4.4 Enamel Roughness Changes After Debonding 89
- 4.5 Tooth Gloss Changes After Debonding 94
- References 99

5 Aerosol Production during Resin Removal with Rotary Instruments 116

Anthony J. Ireland, Christian J. Day, and Jonathan R. Sandy

- 5.1 Introduction 116
 - 5.1.1 What Are Airborne Particulates, and Where Might They End Up? 117
 - 5.1.2 Why Do Airborne Particulates Present a Potential Health Risk? 120
 - 5.1.2.1 Aerodynamic Diameter and Lung Clearance 121
 - 5.1.2.2 Chemical Composition and Solubility 122
 - 5.1.2.3 Bioaerosols 122
 - 5.1.2.4 Dental Bioaerosols 123
 - 5.1.3 What Are the Occupational Health Risks? 123
 - 5.1.4 Are Dental Personnel at Risk from Particulate Inhalation? 124

- 5.1.5 What Is the Evidence that Airborne Particulates Are Created during Orthodontic Appliance Removal with Rotary Instruments? 125
- 5.1.6 What Are Workplace Exposure Limits (WELs), and How Do Particulates Produced During Orthodontic Debonding Compare with Them? 129
- 5.1.7 What Methods Can Be Used to Reduce the Orthodontist's Exposure to Airborne Particulates Produced During Appliance Debonding and Enamel Clean-Up? 131
- 5.1.8 What about Bioaerosols Produced During Orthodontic Debond and Enamel Clean-Up? 133
- 5.1.9 How Can the Risk of Inhalation of Dental Particulates during Orthodontic Debond and Enamel Clean-Up Be Minimised? 135
- References 136

6 Evidence on Airborne Pathogen Management from Aerosol-Inducing Practices in Dentistry – How to Handle the Risk 143

Despina Koletsi, Georgios N. Belibasakis, and Theodore Eliades

- 6.1 Introduction 143
- 6.2 Existing Evidence 145
 - 6.2.1 Existing Evidence from Synthesized Data Including Direct and Indirect Comparisons of Interventions 154
 - 6.2.2 Evidence Based on Single Study Estimates 160
 - 6.2.3 Quality and Confidence of Existing Evidence 161
- 6.3 Findings in Context 161
 - 6.3.1 Use of Chlorhexine (CHX) as Pre-Procedural Mouth Rinse 165
 - 6.3.2 Alternative Effects and Actions of Povidone Iodine (PI), Ozone (O₃), and Chlorine Dioxide (ClO₂) 166
 - 6.3.3 Aerosolized Pathogens and Dental Procedures 168
 - 6.3.4 Strengths and Limitations Stemming from Existing Evidence 170
- 6.4 Concluding Remarks and Implications for Research 171
- References 171

7 Future Material Development for Efficient Debonding 178*Theodore Eliades*

- 7.1 Command-Debond Adhesives 179
- 7.2 BPA-Free Monomers 180
- 7.3 Biomimetic Adhesives 182
- Further Reading 183

8 The Use of Attachments in Aligner Treatment: Analyzing the 'Innovation' of Expanding the Use of Acid Etching-Mediated Bonding of Composites to Enamel and Its Consequences 185*Theodore Eliades, Spyridon N. Papageorgiou, and Anthony J. Ireland*

- 8.1 Enamel Involvement 186
- 8.2 *In Vivo*-Induced Alterations of Aligners and Attachments 188
- 8.3 Release of Compounds 192
- 8.4 Debonding and Grinding 194
 - 8.4.1 Aerosol Hazards 194
 - 8.4.2 Xenoestrogenic Action (Bulk and Ground Particles) and Other Biologic Effects 197
- 8.5 Concluding Remarks 198
- References 199

Section B Fixed Retainer Bonding 205**9 Composite Resins Used for Retainer Bonding 207***Iosif Sifakakis*

- 9.1 Introduction 207
- 9.2 Hardness 208
- 9.3 Wear Resistance 211
- 9.4 Bond Strength 213
- 9.5 Microleakage 215
- 9.6 Water Sorption 219
- 9.7 Ageing 219
- References 221

10 Wires Used in Fixed Retainers 227

Iosif Sifakakis, Masahiro Iijima, and William Brantley

- 10.1 Introduction 227
- 10.2 Desirable Properties of Retainer Wires 230
 - 10.2.1 Stiffness 230
 - 10.2.2 Strength 233
 - 10.2.3 Range 234
- 10.3 Clinical Selection of Retainer Wire 236
- 10.4 Recent Research 241
 - References 242

11 Release of Bisphenol-A from Materials Used for Fixed Retainer Bonding 248

Iosif Sifakakis

- 11.1 Introduction 248
- 11.2 BPA and Fixed Retainers – Clinical Considerations 250
- 11.3 *In Vitro* Research 252
- 11.4 BPA-Free Orthodontic Adhesives 253
- 11.5 Conclusions 255
 - References 255

12 Clinical Effectiveness of Bonded Mandibular Fixed Retainers 259

Thaleia Kouskoura, Dimitrios Kloukos, Pawel Pazera, and Christos Katsaros

- 12.1 Introduction 259
- 12.2 Short-Term Alignment Stabilisation 260
- 12.3 Long-Term Alignment Stabilisation 262
- 12.4 Failure Rates 265
- 12.5 Periodontal Effects 269
- 12.6 Side Effects of Fixed Retainers – Unwanted Tooth Movement 272
 - References 275

13	Masticatory Forces and Deformation of Fixed Retainers	283
	<i>Iosif Sifakakis and Christoph Bourauel</i>	
13.1	Introduction	283
13.2	Clinical Observations	283
13.3	Retainer Properties	286
13.4	<i>In Vitro</i> Loading of Fixed Retainer Wires	288
	References	292
	Index	296

